

Table S4. Net temperature effects across follow-up visits for systolic blood pressure and diastolic blood pressure

Follow-up visit	SBP net effect (mmHg/°C)	DBP net effect (mmHg/°C)
1	0.754	0.104
2	6.560	1.949
3	-1.893	-1.547
4	-4.724	-8.226
5	-4.298	-4.194
6	0.058	0.314
7	-0.504	-0.157
8	0.949	0.587
9	0.431	0.341
10	0.588	0.099
11	0.928	1.729
12	0.201	1.162
13	0.336	-0.006
14	-1.402	-2.067
15	-2.523	-2.801
16	-1.426	-3.725
17	-2.665	-1.793
18	-3.861	-3.311
19	-1.012	-1.559

Values represent net change in blood pressure per 1 °C increase in ambient temperature (mmHg/°C). Statistically significant effects (interaction $p < 0.05$) are shown in bold. Net effects were calculated as the sum of the main temperature coefficient and the corresponding visit-specific interaction term. Bolded values indicate visits where the temperature–time interaction term was statistically significant ($p < 0.05$) in the generalized estimating equation models. SBP main temperature coefficient: 0.754 mmHg/°C. DBP main temperature coefficient: 0.104 mmHg/°C.

SBP, systolic blood pressure; DBP, diastolic blood pressure.